MAY 0 6 2002 8

RECEIVED

ATTORNEY DPC MET NO. 01173.0003U2 SERIAL NO. 09/929,266
TECH CENTER 1600/2900 Page 1 of 9

Form PTO-1449
U.S. DEPARTMENT OF COMMERCE (Rev. 7-80)
PATENT AND TRADEMARK OFFICE

ATTORNEY DOCKET NO.: 01173.0003U2

SERIAL NO. 09/929,266

U.S. DEPA	RTMENT	OF COMMERCE (R	ev. 7-80)			<u> </u>	
PATENTA	ND TRAE	DEMARK OFFICE ART CITED BY APPI		APPLICANT: Chait et al.			
((Jse sevei	al sheets if necessa	ery)	FILING DATE: August 13, 2001		GROUP: 1645	
				U.S. PATENT DOCUMENTS			
EXAMINER INITIAL	:	DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE
WAA	A1	6,184,344	02/06/01	Kent et al.	_		APPROPRIATE
11.367	A2	5,871,928	02/16/99	Fodor et al.	-		
	A3	5,654,413	08/05/97	Brenner et al.			
	A4	5,599,695	02/04/97	Pease et al.		/	
	A5	5,429,807	07/04/95	Matson et al.			
	A6	4,980,286	12/25/90	Morgan et al.		\	
	A7	4,868,116	09/19/89	Morgan et al.			
WA	A8	4,086,254	04/25/78	Wierenga	1/-		
. , ,				FOREIGN PATENT DOCUMENTS			
924	A9	WO 90/02806	03/22/90	Whitehead Institute for Biomedical Research (PCT)		1	
	A10	WO 89/07136 ✓	08/10/89	Whitehead Institute for Biomedical Research (PCT)			
	A11	WO 98/28434	07/02/98	The Scripps Research Institute (PCT)			
	A12	WO 97/11958 $\sqrt{}$	04/03/97	The Scripps Research Institute (PCT)		1	
°XIII	A13	WO 00/04036	01/27/00	Duke University (PCT)			
٧ -		OTHER	PRIOR ART	(Including Author, Title, Date, Pertinent P	Pages Etc.)		
124	A14			cchirides with 2-iminothiolane and its uses.		·4341-4345 (10	280)
	A15	ll .	hain dynamic	es in stratum corneum studied by spin label e			
PH	A16	screening of the wool	ins amer fron	cyl-CoA dehydrogenase (MCAD) mutations in those observed in patients with clinical synults in mild MCAD deficiency. <i>Am. J. Hum.</i> G	nntame: idantifia	otion and shee	spective acterization of a



1	AUCIA	Appen et al. A multidimensional de la contraction de la contractio
924	★17	Annan et al. A multidimensional electrospray MS-based approach to phosphopeptide mapping. <i>Anal. Chem.</i> 73:393-404 (2001)
	A18	Arora et al. Selectivity of lipid-protein interactions with trysinized Na, K-ATPase studied by spin-label ERP. <i>Biochim. Biophys. Acta.</i> 1371:163-167 (1998)
	A19	Banerji et al. A Lymphocyte-Specific Cellular Enhancer Is Located Downstream of the Joining Region in Immunoglobulin Heavy Chain Genes. <i>Cell</i> 33:729-740 (1983)
	A20	Berkner et al. Abundant Expression of Polyomavirus Middle T Antigen and Dihydrofolate Reductase in an Adenovirus Recombinant. <i>J. Virol.</i> 61:1213-1220 (1987)
	A21	Birkenmeyer et al. DNA Probe Amplification Methods. J. Virol. Meth. 35:117-126 (1991)
	A22	Black. Protein diversity from alternative splicing: a challenge for bioinformatics and post-genome biology. <i>Cell</i> 103:367-370 (2000)
	A23	Bout et al. Lung Gene Therapy: In Vivo Adenovirus-Mediated Gene Transfer to Rhesus Monkey Airway Epithelium. Hum. Gene Ther. 5:3-10 (1994)
	A24	Brdicka et al. Phosphoprotein associated with glycosphingolipid-enriched microdomains (PAG), a novel ubiquitously expressed transmembrane adaptor protein, binds the protein tyrosine kinase csk and is involved in regulation of T cell activation. J. Exp. Med. 191:1591-1604 (2000)
	A25	Breslauer et al. Predicting DNA duplex stability from the base sequence. Proc. Natl. Acad. Sci. USA 83:3746-3750 (1986)
	A26	Brizard et al. Immunoaffinity purifaction of FLAG epitode-tagged bacterial alkaline phosphatase using a novel monoclonal antibody and peptide elution. <i>Biotechnology</i> 16:730-735 (1994)
	A27	Brown et al. Penetration of Host Cell Membranes by Adenovirus 2. Journal of Virology 12(2):386-396 (1973)
	A28	Caillaud et al. Adenoviral Vector as a Gene Delivery System into Cultured Rat Neuronal and Glial Cells <i>Eur. J. Neurosci.</i> 5:1287-1291 (1993)
	A29	Cantrell. Phosphoinositide 3-kinase signalling pathways. J. Cell. Sci. 114:1439-1445 (2001)
	A30 ·	Chandrasegaran et al. Chimeric restriction enzymes: what is next? Biol. Chem. 380(7-8):841-848 (1999)
	A31	Chardonnet et al. Early Events in the Interaction of Adenoviruses with HeLa Cells. Virology 40:462-477 (1970)
	A32	Chatterjee et al. In vivo analysis of nuclear protein traffic in mammalian cells. Exp. Cell. Res. 236(1):346-350 (1997)
·	A33	Chong et al. Utilizing the C-terminal cleavage activity of a protein splicing element to purify recombinant proteins in a single chromatographic step. <i>Nucl. Acids. Res.</i> 26(22):5109-5115 (1998)
	A34	Cianci et al. Brain and muscle express a unique alternative transcript of αII spectrin. Biochemistry 38:15721-15730 (1999)
	A35	Conrads et al. Utility of Accurate Mass Tags for Proteome-Wide Protein Identification Anal. Chem. 72:3349-3354 (2000)
	A36	Cowie et al. Biosynthesis by escherichia coli of active altered proteins containing selenium instead of sulfur. Biochimica. Et Biophsyica Acta. 26:252-261 (1957)
	A37	Davidson et al. Overproduction of Polyomavirus Middle T Antigen in Mammalian Cells through the Use of an Adenovirus Vector. J. Virol. 61:1226-1239 (1987)
1/4	A38	Dawson et al. Synthesis of proteins by native chemical ligation. Science 266:776-779 (1994)
1/1	A39	Dawson et al. Synthesis of Native Proteins by Chemical Ligation. Ann. Rev. Biochem. 69:923-960 (2000)
11. A		

MAY 0 6 2002 %



RECEIVED

ATTORNEY DOCKET NO. 01173.0003U2

MAY (SERIANDO 09/929,266
Page 3 of 9

DeGnore et al. Fragmentation of phosphopetides in an ion trap mass spectrometer. <i>J. Am. Soc. Mass Spectrom.</i> 9:1175-1188 (1998) Dervan et al. Sequence-specific DNA recognition by polyamides. <i>Curr. Opin. Chem. Biol.</i> 3(6):688-693 (1999) Dhandayuthapani et al. Green fluorescent protein as a marker for gene expression and cell biology of mycobacterial interactions with macrophages. <i>Mol. Microbiol.</i> 17(5):901-912 (1995) Dikler et al. <i>J. Mass. Spectrom.</i> 32:1337-1349 (1997) Drysdale et al. Complex promoter and coding region β ₂ -adrenergic receptor haplotypes alter receptor expression and predict <i>in vivo</i> responsiveness. <i>Proc. Natl. Acad. Sci. USA.</i> 97(19):10483-10488 (2000) Engvall et al. Enzyme-linked immunosorbent assay (ELISA). Quantitive assay of immunoglobulin G. <i>Immunochemistry</i> 8:871-874 (1971) Fields et al. A novel genetic system to detect protein-protein interactions. <i>Nature</i> 340:245-246 (1989) Fiers et al. Complete nucleotide sequence of SV40 DNA. <i>Nature</i> 273:113-129 (1978) Freier et al. Improved free-energy parameters for predictions of RNA duplex stability. <i>Proc. Natl. Acad. Sci.</i> USA 83:9373-9377 (1986) Gasparro et al. Site-Specific targeting of psoralen photoadducts with a triple helix-forming oligonucleotide: characterization of psoralen monoadduct and crosslink formation. <i>Nucl. Acids Res.</i> 22(14):2845-2852 (1994) Gee et al. Alternative splicing of protein 4.1R exon 16: ordered excision of flanking introns ensures proper splice site
Dhandayuthapani et al. Green fluorescent protein as a marker for gene expression and cell biology of mycobacterial interactions with macrophages. <i>Mol. Microbiol.</i> 17(5):901-912 (1995) Dikler et al. <i>J. Mass. Spectrom.</i> 32:1337-1349 (1997) Drysdale et al. Complex promoter and coding region β ₂ -adrenergic receptor haplotypes alter receptor expression and predict <i>in vivo</i> responsiveness. <i>Proc. Natl. Acad. Sci. USA.</i> 97(19):10483-10488 (2000) Engvall et al. Enzyme-linked immunosorbent assay (ELISA). Quantitive assay of immunoglobulin G. <i>Immunochemistry</i> 8:871-874 (1971) Fields et al. A novel genetic system to detect protein-protein interactions. <i>Nature</i> 340:245-246 (1989) Fiers et al. Complete nucleotide sequence of SV40 DNA. <i>Nature</i> 273:113-129 (1978) Freier et al. Improved free-energy parameters for predictions of RNA duplex stability. <i>Proc. Natl. Acad. Sci.</i> USA 83:9373-9377 (1986) Gasparro et al. Site-Specific targeting of psoralen photoadducts with a triple helix-forming oligonucleotide: characterization of psoralen monoadduct and crosslink formation. <i>Nucl. Acids Res.</i> 22(14):2845-2852 (1994) Gee et al. Alternative splicing of protein 4.1R exon 16: ordered excision of flanking introps ensures proper splice site.
Dikler et al. <i>J. Mass. Spectrom.</i> 32:1337-1349 (1997) Drysdale et al. Complex promoter and coding region β ₂ -adrenergic receptor haplotypes alter receptor expression and predict <i>in vivo</i> responsiveness. <i>Proc. Natl. Acad. Sci. USA.</i> 97(19):10483-10488 (2000) Engvall et al. Enzyme-linked immunosorbent assay (ELISA). Quantitive assay of immunoglobulin G. <i>Immunochemistry</i> 8:871-874 (1971) Fields et al. A novel genetic system to detect protein-protein interactions. <i>Nature</i> 340:245-246 (1989) Fiers et al. Complete nucleotide sequence of SV40 DNA. <i>Nature</i> 273:113-129 (1978) Freier et al. Improved free-energy parameters for predictions of RNA duplex stability. <i>Proc. Natl. Acad. Sci.</i> USA 83:9373-9377 (1986) Gasparro et al. Site-Specific targeting of psoralen photoadducts with a triple helix-forming oligonucleotide: characterization of psoralen monoadduct and crosslink formation. <i>Nucl. Acids Res.</i> 22(14):2845-2852 (1994) Gee et al. Alternative splicing of protein 4.1R exon 16: ordered excision of flanking introns ensures proper splice eite.
Drysdale et al. Complex promoter and coding region β ₂ -adrenergic receptor haplotypes alter receptor expression and predict <i>in vivo</i> responsiveness. <i>Proc. Natl. Acad. Sci. USA</i> . 97(19):10483-10488 (2000) Engvall et al. Enzyme-linked immunosorbent assay (ELISA). Quantitive assay of immunoglobulin G. <i>Immunochemistry</i> 8:871-874 (1971) Fields et al. A novel genetic system to detect protein-protein interactions. <i>Nature</i> 340:245-246 (1989) Fiers et al. Complete nucleotide sequence of SV40 DNA. <i>Nature</i> 273:113-129 (1978) Freier et al. Improved free-energy parameters for predictions of RNA duplex stability. <i>Proc. Natl. Acad. Sci.</i> USA 83:9373-9377 (1986) Gasparro et al. Site-Specific targeting of psoralen photoadducts with a triple helix-forming oligonucleotide: characterization of psoralen monoadduct and crosslink formation. <i>Nucl. Acids Res.</i> 22(14):2845-2852 (1994) Gee et al. Alternative splicing of protein 4.1R exon 16: ordered excision of flanking introns ensures proper splice site.
Engvall et al. Enzyme-linked immunosorbent assay (ELISA). Quantitive assay of immunoglobulin G. <i>Immunochemistry</i> 8:871-874 (1971) Fields et al. A novel genetic system to detect protein-protein interactions. <i>Nature</i> 340:245-246 (1989) Fiers et al. Complete nucleotide sequence of SV40 DNA. <i>Nature</i> 273:113-129 (1978) Freier et al. Improved free-energy parameters for predictions of RNA duplex stability. <i>Proc. Natl. Acad. Sci.</i> USA 83:9373-9377 (1986) Gasparro et al. Site-Specific targeting of psoralen photoadducts with a triple helix-forming oligonucleotide: characterization of psoralen monoadduct and crosslink formation. <i>Nucl. Acids Res.</i> 22(14):2845-2852 (1994) Gee et al. Alternative splicing of protein 4.1R exon 16: ordered excision of flanking introps ensures proper splice site.
Fields et al. A novel genetic system to detect protein-protein interactions. <i>Nature</i> 340:245-246 (1989) Fiers et al. Complete nucleotide sequence of SV40 DNA. <i>Nature</i> 273:113-129 (1978) Freier et al. Improved free-energy parameters for predictions of RNA duplex stability. <i>Proc. Natl. Acad. Sci.</i> USA 83:9373-9377 (1986) Gasparro et al. Site-Specific targeting of psoralen photoadducts with a triple helix-forming oligonucleotide: characterization of psoralen monoadduct and crosslink formation. <i>Nucl. Acids Res.</i> 22(14):2845-2852 (1994) Gee et al. Alternative splicing of protein 4.1R exon 16: ordered excision of flanking introns ensures proper splice site.
Fiers et al. Complete nucleotide sequence of SV40 DNA. <i>Nature</i> 273:113-129 (1978) Freier et al. Improved free-energy parameters for predictions of RNA duplex stability. <i>Proc. Natl. Acad. Sci.</i> USA 83:9373-9377 (1986) Gasparro et al. Site-Specific targeting of psoralen photoadducts with a triple helix-forming oligonucleotide: characterization of psoralen monoadduct and crosslink formation. <i>Nucl. Acids Res.</i> 22(14):2845-2852 (1994) Gee et al. Alternative splicing of protein 4.1R exon 16: ordered excision of flanking introns ensures proper splice site.
Freier et al. Improved free-energy parameters for predictions of RNA duplex stability. <i>Proc. Natl. Acad. Sci.</i> USA 83:9373-9377 (1986) Gasparro et al. Site-Specific targeting of psoralen photoadducts with a triple helix-forming oligonucleotide: characterization of psoralen monoadduct and crosslink formation. <i>Nucl. Acids Res.</i> 22(14):2845-2852 (1994) Gee et al. Alternative splicing of protein 4.1R exon 16: ordered excision of flanking introns ensures proper splice site.
Gasparro et al. Site-Specific targeting of psoralen photoadducts with a triple helix-forming oligonucleotide: characterization of psoralen monoadduct and crosslink formation. <i>Nucl. Acids Res.</i> 22(14):2845-2852 (1994) Gee et al. Alternative splicing of protein 4.1R exon 16: ordered excision of flanking introns ensures proper splice site.
Gee et al. Alternative splicing of protein 4.1R exon 16: ordered excision of flanking introns ensures proper splice site.
Gee et al. Alternative splicing of protein 4.1R exon 16: ordered excision of flanking introns ensures proper splice site
choice. Blood 95:692-699 (2000)
Godi et al. ARF mediates recruitment of PtdIns-4-OH kinase-beta and stimulates synthesis of PtdIns(4,5)P2 on the Golgi complex. <i>Nat. Cell. Biol.</i> 1:280-287 (1999) (Abstract)
Glatthar et al. A New Photocleavable Linker in Solid-Phase Chemistry for Ether Cleavage. Org. Lett. 2(15):2315-2317 (2000)
Gomez-Foix et al. Adenovirus-mediated Transfer of the Muscle Glycogen Phosphorylase Gene into Hepatocytes Confers Altered Regulation of Glycogen Metabolism. <i>J. Biol. Chem.</i> 267(35):25129-25134 (1992)
Greenaway et al. Human cytomegalovirus DNA: <i>Bam</i> HI, <i>Eco</i> RI and <i>Pst</i> I restriction endonuclease cleavage maps. <i>Gene</i> 18:355-360 (1982)
Griffin et al. Quantitative proteomic analysis using a MALDI quadrupole time-of-flight mass spectrometer. <i>Anal. Chem.</i> 73:978-986 (2001)
Groth et al. A phage integrase directs efficient site-specific integration in human cells. <i>Proc. Natl. Acad. Sci.</i> USA 97(11):5995-6000 (2000)
Guillier et al. Linkers and Cleavage Strategies in Solid-Phase Organic Synthesis and Combinatorial Chemistry. Chem. Rev. 100:2091-2157 (2000)
Guo et al. Direct Flourescence Analysis of Genetic Polymorphisms by Hybridization with Oligonucleotide Arrays on Glass Supports. <i>Nucl. Acids Res.</i> 22(24):5456-5465 (1994)
Guzman et al. Efficient Gene Transfer Into Myocardium by Direct Injection of Adenovirus Vectors. Circul. Res. 73:1202-1207 (1993)
Gygi et al. Quantitative analysis of complex protein mixtures using isotope-coded affinity tags. Nat. Biotechnol. 17:994-999
- G 7 - G 9 - G 10 - G 5 - G 12 -





MAY 0 7 2007

-11/		
<u> </u>	A61	Hackeng et al. Chemical synthesis and spontaneous folding of a multidomain protein anticogula purple parent S. Proc Natl. Sci. USA 97(26):14074-14078 (2000)
1	A62	Hage. Affinity chromatography: a review of clinical applications. Clin. Chem. 45(5):593-615 (1999)
	A63	Hage et al. Chromatographic Immunoassays. Anal. Chem. 73(7):198A-205A (2001)
	A64	Haj-Ahmad et al. Development of a Helper-Independent Human Adenovirus Vector and Its Use in the Transfer of the Herpes Simplex Virus Thymidine Kinase Gene. <i>J. Virol.</i> 57(1):267-274 (1986)
	A65	Harth-Fritschy et al Esterification of 9-Fluorenylmethoxycarbonyl-glycosylated serine and cysteine derivatives with an hydroxymethyl resin. <i>Pet. Res.</i> 50:415 (1997)
	A66	Hayes et al. Desorption-ionization mass spectrometry using deposited nanostructured silicon films. <i>Anal. Chem.</i> 73:1292-1295 (2001)
	A67	Haynes et al. Proteome profiling-pitfalls and progress. Yeast 17(2):81-87 (2000)
	A68	Hendrickson et al. Selenomethionyl proteins produced for analysis by multiwavelength anomalous diffraction (MAD): a vehicle for direct determination of three-dimensional structure. <i>Embo. J.</i> 9(5):1665-1672 (1990)
	A69	Hendrickson et al. High sensitivity multianalyte immunoassay using covalent DNA-labeled antibodies and polymerase chain reaction. <i>Nucl. Acids Res.</i> 23(3):522-529 (1995)
	A70	Hermanson. Bioconjugate techniques, Academic Press, Pp. 528-569 (1996)
	A71	Hobbs et al. Development of a bicistronic vector driven by the human polypeptide chain elongation factor 1α promoter for creation of stable mammalian cell lines that express very high levels of recombinant proteins. <i>Biochem. Biophys. Res. Commun.</i> 252:368-372 (1998)
	A72	Hoheisel. Sequence-independent and linear variation of oligonucleotide DNA binding stabilities. <i>Nucl. Acid. Res.</i> 24(3):430-432 (1996)
	A73	Hong et al. Development of two bacterial articial chromosome shuttle vectors for a recombination-based cloning and regulated expression of large genes in mammalian cells. <i>Anal. Biochem.</i> 291:142-148 (2001)
	A74	Hope et al. Production of large unilamellar vesicles by a rapid extrusion procedure. Characterization of size distribution, trapped volume and ability to maintain a membrane potential. <i>Biochimica et Biophysica Acta</i> . 812:55-65 (1985)
	A75	Horn et al. An improved divergent synthesis of comb-type branched oligodeoxyribonucleotides (bDNA) containing multiple secondary sequences. <i>Nucl. Acids Res.</i> 23(25):4835-4841 (1997)
	A76	Hou et al. Regulation of alternative pre-mRNA splicing during erythroid differentiation. Curr. Opin. Hematol. 8(2):74-79 (2001) (Abstract)
	A77	Jamieson et al. In vitro selection of zinc fingers with altered DNA -binding specificity. Biochemistry 33(19):5689-5895 (1994)
	A78	Johnstone et al. Immunochemistry In Practice (Blackwell Scientific Publications, Oxford, England, pp. 30-85 (1987)
	A79	Kershnar et al. Immunoaffinity purification and functional characterization of human transcription factor IIH and RNA polymerase II from clonal cell lines that conditionally express epitope-tagged subunits of the multiprotein complexes. <i>J. Biol. Chem.</i> 273:34444-34453 (1998)
Λ	A80	Kikumori et al. Promiscuity of pre-mRNA spliceosome-mediated <i>trans</i> splicing: a problem for gene therapy? <i>Hum. Gene. Ther.</i> 12:1429-1441 (2001)
	A81	Kirshenbaum et al. Highly Efficient Gene Transfer into Adult Ventricular Myocytes by Recombinant Adenovirus. J. Clin. Invest. 92:381-387 (1993)
		A63 A64 A65 A66 A67 A68 A69 A70 A71 A72 A73 A74 A75 A76 A77 A78 A79 A80



A82	Kornberg et al. Inside-outside transitions of phospholipids in vesicle membranes. Biochemistry 10(7):1111-1120 (1971)
A83	Kornberg et al. Lateral diffusion of phospholipids in a vesicle membrane. <i>Proc. Natl. Acad. Sci. USA</i> 68(10):2564-2568 (1971)
A84	Khrapko et al. Hybridization of DNA with oligonucleotides immobilized in gel: a convenient method for recording single base replacements. <i>Mol. Biol. (Mosk)</i> 25(3):718-730 (1991)
A85	Kremer et al. Green fluorescent protein as a new expression marker in mycrobacteria. Mol. Microbiol. 17(5):913-922 (1995)
A86	Krull et al. Labeling reactions applicable to chromatography and electrophoresis of minute amounts of proteins. <i>J. Chromatogr. B. Biomed. Sci. Appl.</i> 699:173-208 (1997)
A87	Krull et al. Specific applications of capillary electrochromatography to biopolymers, including proteins, nucleic acids, peptide mapping, antibodies, and so forth. <i>J. Chromatogr. A.</i> 887:137-163 (2000)
A88	Krutchinsky et al. Rapid, Automatic Identification of proteins utilizing a novel MALDI-Ion Trap mass Spectrometer, Abstract of the 49th ASMS Conference on Mass Spectrometry and Allied Topics (May 27-31, 2001)
A89	Krutchinsky et al. Rapidly Switchable Matrix-Assisted Laser Desorption/Ionization and Electrospray Quadrupole-Time-of-Flight Mass Spectrometry for Protein Identification. <i>J. AM. Soc. Mass Spectrom.</i> 11(6):493-504 (2000)
A90	Kunkel et al. Inducible isopentenyl tranferase as a high-efficency marker for plant transformation. Nat. Biotech. 17:916-919 (1999)
A91	Laimins et al. Osmotic control of kdp operon expression in Escherichia coli. Proc. Natl. Acad. Sci. USA 78:464-468 (1981)
A92	La Salle et al. An Adenovirus Vector for Gene Transfer into Neurons and Glia in the Brain. Science 259:988-990 (1993)
A93	Landergren. Molecular Mechanics of Nucleic Acids Sequence Amplification. Trends Genet. 9(6):199-202 (1993)
A94	Lipshutz et al. High density synthetic olinucleotide arrays. Nat. Genetic. 21(1 Suppl):20-24 (1999)
A95	Loboda et al. Atandemquadrupole/time-of-flight mass spectrometer (QqTOF) with a MALDI source: design and performance. Rapid Comm. Mass Spectrom. 14(12)1047-1057 (2000)
A96	Lusky et al. Bovine Papilloma Virus Contains an Activator of Gene Expression at the Distal End of the Early Transcription Unit. <i>Mol. Cell. Biol.</i> 3(6):1108-1122 (1983)
A97	MacDonald et al. Small-volume extrusion apparatus for preparation of large, unilamellar vesicles. <i>Biochimica et Biophysica Acta</i> 1061:297-303 (1991)
A98	Maier et al. Application of robotic technology to automated sequence fingerprint analysis by oligonucleotide hybridisation. <i>J. Biotechnol.</i> 35(2-3):191-203 (1994)
A99	Maiolini et al. A sandwich method for enzmye immunoassay. I. Application to rat and human alpha-fetoprotein. <i>J. Immuno. Meth.</i> 8:223-234 (1975)
A100	Malik et al. Effects of a second intron on recombinant MFG retroviral vector. <i>Arch. Virol.</i> 146:601-609 (2001)
A101	Mankertz et al. Expression from the human occludin promoter is affected by tumor necrosis factor α and interferon γ. J. Cell. Sci. 113:2085-2090 (2000)
A102	March et al. A simplified method for cyanogen bromide activation of agarose for affinity chromatography. <i>Anal. Biochem.</i> 60:149-152 (1974)
A103	Marriot et al. Synthesis and applications of heterobifunctional photocleavable cross-linking reagents. <i>Meth. Enzymol.</i> 291:155-175 (1998)
	A83 A84 A85 A86 A87 A88 A89 A90 A91 A92 A93 A94 A95 A96 A97 A98 A99 A100 A101 A102 A103






۵.	CHORE	
ADE	A104	Massie et al. Construction of a Helper-Free Recombinant Adenovirus That Expresses Polyomavirus Large T Antigen. <i>Mol. Cell. Biol.</i> 6(8):2872-2883 (1986)
V	A105	Matsumoto et al. Suppression of STAT5 functions in liver, mammary glands, and T cells in cytokine-inducible SH2-containing protein 1 transgenic mice. <i>Mol. Cell. Biol.</i> 19(9):6396-6407 (1999)
	A106	Morsy et al. Efficient Adenoviral-mediated Ornithine Transcarbamylase Expression in Deficient Mouse and Human Hepatocytes. J. Clin. Invest. 92:1580-1586 (1993)
	A107	Moullier et al. Correction of lysosomal storage in the liver and spleen of MPS VII mice by implantation of genetically modified skin fibroblasts. <i>Nat. Genet.</i> 4:154-159 (1993)
	A108	Mulligan et al. Expression of a Bacterial Gene in Mammalian Cells. Science 209:1422-1427 (1980)
	A109	Mulligan. The Basic Science of Gene Therapy. Science 260:926-932 (1993)
	A110	Nardelli et al. Zinc finger-DNA recognition: analysis of base specificity by site-directed mutagenesis. <i>Nucl. Acids Res.</i> 20(16):4137-4144 (1992)
	A111	Nguyen'et al. Modification of DNA duplexed to smooth their thermal stability independently of their base content for DNA sequencing by hybridization. <i>Nucl. Acid. Res.</i> 25(15)3059-3065 (1997)
	A112	Nguyen et al. Smoothing of the thermal stability of DNA duplexes by using modified mucleosides and chaotropic agents. Nucl. Acids Res. 27(6):1492-1498 (1999)
	A113	Niemeyer et al. Oligonucleotide-directed self-assembly of proteins: semisynthetic DNA-streptavidin hybrid molecules as connectors for the generation of macroscopic arrays and the construction of supramolecular bioconjugates. <i>Nucl. Acids</i> . <i>Res.</i> 22(25):5530-5539 (1994)
	A114	Nizectic et al. Construction, arraying, and high-density screening of large insert libraries of human chromosomes X and 21: their potential use as reference libraries. <i>Proc. Natl. Sci. USA</i> 88:3233-3237 (1991)
	A115	Oda et al. Accurate quantitation of protein expression and site-specific phosphorylation. <i>Proc. Natl. Acad. Sci. USA</i> 96:6591-6596 (1999)
	A116	Oda et al. Enrichment analysis of phosphorylated proteins as a tool for probing the phosphoproteome. <i>Nat. Biotech.</i> 19:379-382 (2001)
	A117	Oikawa et al. Metalloselenonein, the selenium analogue of metallothionein: synthesis and characterization of its complex with copper ions. <i>Proc. Natl. Acad. Sci. USA</i> 88:3057-3059 (1991)
	A118	Olejnik et al. Photocleavable peptide-DNA conjugates: synthesis and applications to DNA analysis using MALDI-MS. <i>Nucl. Acids Res.</i> 27(23):4626-4631 (1999)
	A119	Orentas et al. Detection of Epstein-Barr virus EBER sequence in post-transplant lymphoma patients with DNA dendrimers. J. Virol. Meth. 77:153-163 (1999)
	A120	Osborne et al. Transcription Control Region Within the Protein-Coding Portion of Adenovirus E1A Genes. <i>Mol. Cell Biol.</i> 4(7):1293-1305 (1984)
	A121	Patterson et al. Quantitative imaging of TATA-binding protein in living yeast cells. Yeast 14:813-825 (1998)
1	A122	Patton. Making Blind Robots See: The Synergy Between Fluorescent Dyes and Imaging Devices in Automated Proteomics. Biotech. 28(5):944-957 (2000)
4	A123	Payrastre et al. Phosphoinositides: key players in cell signalling, in time and space. Cell Signal 13:377-387 (2001)
		A104 A105 A106 A107 A108 A109 A110 A111 A112 A113 A114 A115 A116 A117 A118 A119 A120 A121 A122





0 00		JECH CENTER 1600/2900
14*	A124	Pease et al. Light-generated oligonucleotide arrays for rapid DNA sequence analysis. <i>Proc. Natl. Acad. Sci USA</i> 91:5022
	A125	Qin et al. Identification and characterization of posttranslational modifications of proteins by MALDI ion trap mass spectrometry. <i>Anal. Chem.</i> 69:4002-4009 (1997)
	A126	Ragot et al. Replication-defective recombinant adenovirus expressing the Epstein-Barr virus (EBV) envelope glycoprotein gp340/220 induces protective immunity against EBV-induced lymphomas in the cottontop tamarin. <i>J. Gen. Virol.</i> 74:501-5
	A127	Ram et al. <i>În Situ</i> Retroviral-mediated Gene Transfer for the Treatment of Brain Tumors in Rats. <i>Cancer Res.</i> 53:83-88 (1993)
	A128	Ramsay. DNA chips: State-of-the art. Nat. Biotechnol. 16(1):40-44 (1998)
	A129	Reilander et al. Functional expression of the Aequorea victoria green fluorescent protein in insect cells using the baculovirus expression system. Biochem. Biophys. Res. Commun. 219:14-20 (1996)
	A130	Rich et al. Development and Analysis of Recombinant Adenoviruses for Gene Therapy of Cystic Fibrosis. <i>Hum. Gene The</i> 4:461-476 (1993)
	A131	Roessler et al. Adenoviral-mediated Gene Transfer to Rabbit Synovium In Vivo. J. Clin. Invest. 92:1085-1092 (1993)
	A132	Rong et al. A Targeted Gene Knockout in Drosophila. Genetics 157:1307-1312 (2001)
	A133	Sano et al. Immuno-PCR: Very Sensitive Antigen Detection by Means of Specific Antibody-DNA Conjugates. <i>Science</i> 258:120-122 (1992)
_	A134	Santa Lucia et al. Improved Nearest-Neighbor Parameters for Predicting DNA Duplex Stability. <i>Biochemisrty</i> . 35:3555-356 (1996)
	A135	Sawin et al. Identification of fission yeast nuclear markers using random polypeptide fusion with green fluorescent protein. Proc. Natl. Acad. Sci. USA 94:15146-15151 (1996)
	A136	Scheffold et al. High-sensitivity immunofluorescence for detection of the pro- and anti-inflammatory cytokines gamma interferon and interleukin-10 on the surface of cytokine-secreting cells. <i>Nat. Med.</i> 6(1):107-110 (2000)
	A137	Schena et al. Parallel human genome analysis: microarray-based expression monitoring of 1000 genes. <i>Proc. Natl. Acad.</i> Sci. USA 93:10614-10619 (1996)
	A138	Seth et al. Evidence that the Penton Base of Adenovirus Is Involved in Potentiation of Toxiicity of <i>Pseudomonas</i> Exotoxin Conjugated to Epidermal Growth Factor. <i>Mol. Cell. Biol.</i> 4(8):1528-1533 (1984)
	A139	Seth et al. Role of a Low-pH Environment in Adenovirus Enhancement of the Toxicity of a <i>Pseudomonas</i> Exotoxin-Epidermal Growth Factor Conjugate. <i>J. Virol.</i> 51(3):650-655 (1984)
	A140	Shalon et al. A DNA microarray system for analyzing complex DNA samples using two-color fluorescent probe hybridation. Genome. Res. 6:639-645 (1996)
	A141	Shchepinov et al. Oligonucleotide dendrimers: synthesis and use as polylabelled DNA probes. <i>Nucl. Acids Res.</i> 25(22):4447-4454 (1997)
	A142	Shevchenko et al. MALDI Quadrupole Time-of-Flight Mass Spectrometry: A Powerful Tool for Proteomic Research. <i>Anal. Chem.</i> 72:2132-2142 (2000)
	A143	Shevchenko et al. Rapid 'de novo' peptide sequencing by a combination of nanoeletrospray, isotoopic labeling and a quadrupole/time-of-flight mass spectrometer. <i>Rapid Commun. Mass Spectrom.</i> 11(9):1015-1024 (1997)



PAN A	EM 2144	TECH CENTER 1600/2200
	12M 22144	Singh-Gasson et al. Maskless fabrication of light-directed oligonucleotide microarrays using a micromirror array. <i>Nat. Biotechnol.</i> 17:974-978 (1999)
	A145	Smith et al. Identification of Hydrogen Peroxide Oxidation Sites of αA- and αB-Crystallins. <i>Free Rad. Res.</i> 26:103-111 (1997)
	A146	Smith et al. A detailed study of the substrate specificity of a chimeric restriction enzyme. <i>Nucl. Acids Res.</i> 27(2):674-681
	A147	Southern et al. Analyzing and comparing nucleic acid sequences by hybridization to arrays of oligonucleotides: evaluation using experimental models. <i>Genomics</i> 13:1008-1017 (1992)
	A148	Southern et al. Transformation of Mammalian Cells to Antibiotic Resistance with a Bacterial Gene Under Control of the SV40 Early Region Promoter. <i>Molec. Appl. Genet.</i> 1:327 (1982)
	A149	Stimpson et al. Real-Time Detection of DNA Hybridization and Melting on Oligonucleotide Arrays by using Optical Wave Guides. <i>Proc. Natl. Acad. Sci.</i> USA 92:6379-6383 (1995)
	A150	Sudgen et al. A Vector That Replicates as a Plasmid and Can Be Efficiently Selected in B-Lymphoblasts Transformed by Epstein-Barr Virus. <i>Mol. Cell. Biol.</i> 5(2):410-413 (1985)
	A151	Svensson. Role of Vesicles During Adenovirus 2 Internalization into HeLa Cells. J. Virol 55(2):442-449 (1985)
	A152	Syvanen et al. Fast Qualification of nucleic acid hybrids by affinity-based hybrid collection. <i>Nucl. Acids Res.</i> 14(12):5037-
	A153	Templeton et al. Efficient gene targeting in mouse embryonic stem cells. Gene Ther. 4(7):700-709 (1997) (Abstract)
	A154	Uetz et al. A comprehensive analysis of protein-protein interactions in Saccharomyces cerevisiae. Nature 403:623-627 (2000)
	A155	Urdea. Branched DNA Signal Amplification. <i>Biotechnology</i> 12:926-928 (1994)
	A156	Uto et al. Determination of urinary Tamm-Horsfall protein by ELISA using a maleimide method for enzyme-antibody conjugation. <i>J. Immunol. Meth.</i> 138:87-94 (1991)
	A157	Van Criekinge et al. Yeast two-hybrid: state of the art. Biol. Proc. Online 2(1) (1999)
	A158	Van Oss et al. Mechanism of DNA (Southern) and protein (Western) blotting on cellulose nitrate and other membranes. <i>J. Chromatogr.</i> 391:53-65 (1987)
	A159	Varga et al. Infectious Entry Pathway of Adenovirus Type 2. J. Virol. 65(11):6061-6070 (1991)
	A160	Vasiliskov et al. Fabrication of microarray of gel-immobilized compounds on a chip by copolymerization. <i>Biotechniques</i> 27(3):592-594,596-598, 600 (1999)
	A161	Vergunst et al. Site-specific integration of Agrobecterium T-DNA in Arabidopsis thaliana mediated by Cre recombinase. Nucl. Acids. Res. 26(11):2729-2734 (1998)
	A162	Virts et al. The role of intron sequences in high level expression from CD45 cDNA constructs. <i>J. Biol. Chem.</i> 276(23):19913-19920 (2001)
	A163	Wemmer et al. Targeting the minor grove of DNA Curr Opin. Struct Biol. 7:355-361 (1997)
RIA	A164 \	White et al. Real-time analysis of the transcriptional regulation of HIV and hCMV promoters in single mammalian cells. J.

RECEIVED

TAY ATTORNEY DOCKET NO. 01173.0003U2 SERIAL NO. 09/929,266 Page 9 of 9

1 × 2 × ×			
BADE	A165	Wickham et al. Integrins $\alpha_v \beta_3$ and $\alpha_v \beta_5$ Promote Adenovirus Internalization but Not Virus Attachment. <i>Cell</i> 73:309-319 (1993)	
	A166	Wilkinson. Cell-Free And Happy: In Vitro Translation And Transcription/Translation Systems. <i>The Scientist</i> 13(3):15 (June 1999)	
	A167	Wolff et al. Direct Gene Transfer into Mouse Muscle in Vivo. Science 247:1465-1468 (1990)	
	A168	Wolff et al. Human dystrophin expression in mdx mice after intramuscular injection of DNA constructs. <i>Nature</i> 352:815-818 (1991)	
	A169	Wood et al. Base composition-independent hybridization in tetramethylammonium chloride: A method for oligonucleotide screening of highly complex gene libraries. <i>Proc. Natl. Acad. Sci. USA</i> 82:1585-1588 (1985)	
	A170	Wu et al. Establishment of stable cell lines expressing potentially toxic proteins by tetracycline-regulated and epitope-tagging methods. <i>Biotechniques</i> 21(4):718-725 (1996)	
	A171	Yershov et al. DNA analysis and diagnostics on oligonucleotide microchips. <i>Proc. Natl. Acad. Sci. USA</i> 93:4913-4918 (1996)	
	A172	Zabner et al. Adenovirus-Mediated Gene Transfer Transiently Corrects the Chloride Transport Defect in Nasal Epithelia of Patients with Cystic Fibrosis. Cell 75:207-216 (1993)	
	A173	Zhang et al. Generation and identification of recombinant adenovirus by liposome-mediated transfection and PCR analysis. BioTechniques 15(5):868-872 (1993)	
	A174	Zhou et al. A systematic approach to the problem of protein phoshorylation. Nat. Biotech. 19:375-378 (2001)	
900/	A175	Zschocke et al. Molecular and functional characterization of mild MCAD deficiency. Hum. Genet. 108:404-408 (2001)	
	,		
EXAMINER:	H	URLICK DATE CONSIDERED: 6/12/03	
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.			